

Quick Examples for PHP

This page contains code snippets that demonstrate various Unified API requests using the PHP language.

- [Requirements](#)
- [Make a call between two public numbers](#)
- [Make a Sandbox call](#)
- [Park a phone call](#)
- [Transfer a call to a public number](#)
- [Record an ongoing conversation](#)
- [Log in an agent to a queue](#)
- [List the registration status of an extension](#)

Requirements

PHP 5.3 or higher is required.

The code is on GitHub

Download here. Do not hesitate to contribute in order to make this example better - we welcome Pull Requests!

Make a call between two public numbers

The example below demonstrates how you can use Unified API to connect two public numbers, not registered with VoipNow. It uses the [Create Simple PhoneCalls](#) request.

```
curl
"https://raw.githubusercontent.com/4psa/uapi-example-php/master/01_public_
call.php" -o 01_public_call.php -L
```

Make a Sandbox call

Unified API can be tested using the [Sandbox numbers](#). The example below uses the [Create Simple PhoneCalls](#) request to make the call.

```
curl
"https://raw.githubusercontent.com/4psa/uapi-example-php/master/02_sandbox
_call.php" -o 02_sandbox_call.php -L
```

Park a phone call

The example below demonstrates how you can use Unified API to park a party of an ongoing phone call. It uses the [Park PhoneCalls](#) request.

```
curl
"https://raw.githubusercontent.com/4psa/uapi-example-php/master/03_park_ca
ll.php" -o 03_park_call.php -L
```

Transfer a call to a public number

The example below demonstrates how you can use Unified API to transfer a call to a public number, not registered with VoipNow. It uses the [Transfer PhoneCalls](#) request.

```
curl
"https://raw.githubusercontent.com/4psa/uapi-example-php/master/04_transfer_call.php" -o 04_transfer_call.php -L
```

Record an ongoing conversation

The example below demonstrates how you can use Unified API to record an ongoing conversation. This action is possible for phone numbers that are registered with VoipNow. The recording is saved in the **wav** format and uses the [StartRecording PhoneCalls](#) request.

```
curl
"https://raw.githubusercontent.com/4psa/uapi-example-php/master/05_record_call.php" -o 05_record_call.php -L
```

Log in an agent to a queue

The example below demonstrates how you can use Unified API to log in an agent to a queue. It uses the [Update QueueAgents](#) request.

```
curl
"https://raw.githubusercontent.com/4psa/uapi-example-php/master/06_agent_login.php" -o 06_agent_login.php -L
```

List the registration status of an extension

The example below demonstrates how you can use Unified API to list the status of an extension. It uses the [List Presence](#) request.

```
curl
"https://raw.githubusercontent.com/4psa/uapi-example-php/master/07_list_registration.php" -o 07_list_registration.php -L
```