

# Channel Error Codes

- [AddChannelGroup](#)
- [EditChannelGroup](#)
- [GetChannelGroups](#)
- [DelChannelGroup](#)
- [GetCodecs](#)
- [GetChannelGroupPoll](#)
- [GetPublicNoPoll](#)
- [AddPublicNo](#)
- [EditPublicNo](#)
- [GetPublicNo](#)
- [DelPublicNo](#)
- [AssignPublicNo](#)
- [UnassignPublicNo](#)
- [GetCallRulesOutGroup](#)
- [DelCallRulesOutGroup](#)
- [GetCallRulesOut](#)
- [DelCallRulesOut](#)
- [GetChannels](#)
- [DelChannel](#)
- [AddCallRulesOutGroup](#)
- [AddCallRulesOut](#)
- [EditCallRulesOutGroup](#)
- [AddChannel](#)
- [EditChannel](#)

## AddChannelGroup

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
152	Unable to update the information set.
200	Duplicate record.{object_detail}
264	Invalid channel group ID.
313	Invalid notes. The value cannot contain more than 1024 characters.
631	Invalid channel group name. Value must be 3 to 255 characters long.
632	One or several channels are outside the records available.

## EditChannelGroup

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.

108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
152	Unable to update the information set.
200	Duplicate record.{object_detail}
264	Invalid channel group ID.
313	Invalid notes. The value cannot contain more than 1024 characters.
631	Invalid channel group name. Value must be 3 to 255 characters long.
632	One or several channels are outside the records available.

## GetChannelGroups

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
151	Unable to retrieve the information set.
262	Invalid channel ID.
030	No records.

## DelChannelGroup

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
201	Some channel groups could not be removed. Please check out if they are not in use.

## GetCodecs

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.

106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
151	Unable to retrieve the information set.
262	Invalid channel ID.
030	No records.

## GetChannelGroupPoll

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
262	Invalid channel ID.

## GetPublicNoPoll

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
151	Unable to retrieve the information set.
250	Invalid user ID.
525	Permission denied: the roles and phone numbers setting is disabled.
030	No records.

## AddPublicNo

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.

106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
152	Unable to update the information set.
200	Duplicate record.{object_detail}
262	Invalid channel ID.
263	Invalid public phone number ID.
600	Invalid assignation method. Here are the values available: stacked, exclusive.
601	Invalid public phone number. The value must be in the phone number format, not empty.
602	Invalid DID (Direct Inward Dialing) number. The value must contain only digits and letters.
603	Invalid monthly cost. Value must be a positive float number of no more than 14 digits.
604	Invalid incoming call cost definition. Sequence must contain a positive float number of no more than 14 digits and a numeric positive value.
625	Invalid DID location.

## EditPublicNo

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
152	Unable to update the information set.
200	Duplicate record.{object_detail}
262	Invalid channel ID.
263	Invalid public phone number ID.
600	Invalid assignation method. Here are the values available: stacked, exclusive.
601	Invalid public phone number. The value must be in the phone number format, not empty.
602	Invalid DID (Direct Inward Dialing) number. The value must contain only digits and letters.
603	Invalid monthly cost. Value must be a positive float number of no more than 14 digits.
604	Invalid incoming call cost definition. Sequence must contain a positive float number of no more than 14 digits and a numeric positive value.
625	Invalid DID location.

## GetPublicNo

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.

103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
151	Unable to retrieve the information set.
250	Invalid user ID.
262	Invalid channel ID.
600	Invalid assignation method. Here are the values available: stacked, exclusive.
030	No records.

## DelPublicNo

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.

## AssignPublicNo

Code	Description
051	This license key allows only phone terminal extension management.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
152	Unable to update the information set.
250	Invalid user ID.
525	Permission denied: the roles and phone numbers setting is disabled.
526	Permission denied: the phone number management setting is disabled.
623	One or several public phone numbers are outside the records available.
200	Unable to completely assign public phone numbers. Not enough numbers available.

## UnassignPublicNo

Code	Description
051	This license key allows only phone terminal extension management.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
152	Unable to update the information set.
525	Permission denied: the roles and phone numbers setting is disabled.
526	Permission denied: the phone number management setting is disabled.

## GetCallRulesOutGroup

Code	Description
051	This license key allows only phone terminal extension management.
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
151	Unable to retrieve the information set.
030	No records.

## DelCallRulesOutGroup

Code	Description
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.

## GetCallRulesOut

Code	Description
051	This license key allows only phone terminal extension management.
100	The authentication data for access to this area or the object identification number is invalid.

102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
151	Unable to retrieve the information set.
260	Invalid outgoing routing rules group ID.
030	No records.

## DelCallRulesOut

Code	Description
051	This license key allows only phone terminal extension management.
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
260	Invalid outgoing routing rules group ID.

## GetChannels

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
151	Unable to retrieve the information set.
264	Invalid channel group ID.
317	Invalid billing server IP or hostname. The value must be an IPV4 IP address or a valid hostname.
030	No records.

## DelChannel

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.

102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.

## AddCallRulesOutGroup

Code	Description
051	This license key allows only phone terminal extension management.
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
152	Unable to update the information set.
200	Duplicate record.{object_detail}
641	Invalid name. Accepted values: letters,_,-,., and space.
642	Invalid action. Available value: {actions}.
643	Invalid position. Value cannot contain more than 4 digits and must be bigger than or equal to 0.
644	Invalid position to insert digits. Value must be a number of no more than 30 digits.
645	Invalid 'coming from' option. Value accepted: digits and * .
646	Invalid number. Value can only contain +*XZN.[0-9] characters and cannot be more than 255 characters long.
647	Invalid time interval. Value is outside the records available.
648	Invalid prefix operation. Here are the values: prefix, replace, add, and subtract.
649	Invalid prefix/replace option. Values for prefix or replace cannot contain more than 30 digits and must follow the phone format.
650	Invalid channel ID. Value is outside the records available.
652	Invalid number of digits to be deleted. Value must be numeric, smaller than or equal to 30.
653	Invalid position to insert/delete digits. Value must be numeric, smaller than or equal to 30 and bigger than 0.
654	Invalid insert number. Value must be a number of no more than 30 digits.
656	Invalid portability engine. Please enter an alphanumeric value of no more than 16 characters.
666	Limit exceeded. Only one outgoing routing rules group can be defined on extension level.

## AddCallRulesOut

Code	Description
051	This license key allows only phone terminal extension management.
100	The authentication data for access to this area or the object identification number is invalid.



102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
152	Unable to update the information set.
200	Duplicate record.{object_detail}
260	Invalid outgoing routing rules group ID.
641	Invalid name. Accepted values: letters,_,-,., and space.
642	Invalid action. Available value: {actions}.
643	Invalid position. Value cannot contain more than 4 digits and must be bigger than or equal to 0.
644	Invalid position to insert digits. Value must be a number of no more than 30 digits.
645	Invalid 'coming from' option. Value accepted: digits and * .
646	Invalid number. Value can only contain +*XZN.[0-9] characters and cannot be more than 255 characters long.
647	Invalid time interval. Value is outside the records available.
648	Invalid prefix operation. Here are the values: prefix, replace, add, and subtract.
649	Invalid prefix/replace option. Values for prefix or replace cannot contain more than 30 digits and must follow the phone format.
650	Invalid channel ID. Value is outside the records available.
652	Invalid number of digits to be deleted. Value must be numeric, smaller than or equal to 30.
653	Invalid position to insert/delete digits. Value must be numeric, smaller than or equal to 30 and bigger than 0.
654	Invalid insert number. Value must be a number of no more than 30 digits.
656	Invalid portability engine. Please enter an alphanumeric value of no more than 16 characters.
666	Limit exceeded. Only one outgoing routing rules group can be defined on extension level.

## EditCallRulesOutGroup

Code	Description
051	This license key allows only phone terminal extension management.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
260	Invalid outgoing routing rules group ID.
641	Invalid name. Accepted values: letters,_,-,., and space.
642	Invalid action. Available value: {actions}.
643	Invalid position. Value cannot contain more than 4 digits and must be bigger than or equal to 0.
644	Invalid position to insert digits. Value must be a number of no more than 30 digits.

645	Invalid 'coming from' option. Value accepted: digits and * .
646	Invalid number. Value can only contain +*XZN.[0-9] characters and cannot be more than 255 characters long.
647	Invalid time interval. Value is outside the records available.
648	Invalid prefix operation. Here are the values: prefix, replace, add, and subtract.
649	Invalid prefix/replace option. Values for prefix or replace cannot contain more than 30 digits and must follow the phone format.
650	Invalid channel ID. Value is outside the records available.
652	Invalid number of digits to be deleted. Value must be numeric, smaller than or equal to 30.
653	Invalid position to insert/delete digits. Value must be numeric, smaller than or equal to 30 and bigger than 0.
654	Invalid insert number. Value must be a number of no more than 30 digits.
655	One or several rule IDs are outside the records available.
656	Invalid portability engine. Please enter an alphanumeric value of no more than 16 characters.
037	Unable to update outgoing routing rules order.
039	Unable to update outgoing routing rules group.

## AddChannel

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
152	Unable to update the information set.
200	Duplicate record.{object_detail}
262	Invalid channel ID.
310	Invalid login provided.
313	Invalid notes. The value cannot contain more than 1024 characters.
605	Invalid channel name. Value can only contain 3 to 255 characters.
606	Invalid hostname/IP address.
607	Invalid channel password. Value must be at least 1 character long and cannot contain any of the following characters: ;/?:@&=+\$.# .
608	Invalid authorization username.
609	Invalid concurrent calls (outgoing+incoming) number. Value must be numeric, bigger than 1 and smaller than 999.
610	Invalid call prefix. Value must follow the phone number format.
611	Invalid callerID for outgoing calls. Value must be 3 to 255 characters long and must follow the phone number format.
612	Invalid SIP port. Value must be numeric, between 1 and 65,536.
613	Invalid proxy host/IP address.
614	The 'from user' option is invalid. Value cannot contain more than 255 characters.
615	Invalid 'from domain' option.
616	Invalid authorization extension. Value cannot contain more than 255 characters.

617	Invalid flow. Here are the values available: in, out, both.
618	Invalid DTMF mode. Here are the values available: in band, rfc2833, info, auto.
619	Invalid qualify. Value must be a multiple of 100, no bigger than 900.
620	One or several provided codecs are outside the records available.
622	One or several channel groups are outside the records available.
624	Invalid channel type. Here are the values available: SIP, IAX, PRI, ENUM.
626	Invalid session timer. Accepted values: 0 for "Accept", 1 for "Originate", 2 for "Refuse".
627	Invalid session refresher. Accepted values: 0 for "UAS", 1 for "UAC".
628	Invalid minimum session refresh interval. Value must be lower than the value provided by the session refresher interval.
629	Invalid sipTransport. Here are the values available: UDP, TCP.
667	Invalid 'SIP Node'.
864	Invalid 'Accept calls from IPs/network '. Valid values are: 192.168.*.*, 192.168.0.0/16, 192.168.1.1/16, 192.168.1.1/32, 192.168.0.0/255.255.0.0, 192.168.1.1/255.255.255.255, 192.168.1.1.
314	Invalid Session refresh interval. Value must be a number between 10 and 84000. (e.g. 3600).
315	Invalid Minimum session refresh interval. Value must be a number between 90 and 84000.

## EditChannel

Code	Description
100	The authentication data for access to this area or the object identification number is invalid.
102	This account has expired.
103	Access to this service is denied.
104	This account has been disabled.
106	The parent of this account is expired.
107	The parent of this account is disabled.
108	The parent of this account has no control panel access.
117	Request invalid. Missing parameter {param}.
152	Unable to update the information set.
200	Duplicate record.{object_detail}
262	Invalid channel ID.
310	Invalid login provided.
313	Invalid notes. The value cannot contain more than 1024 characters.
605	Invalid channel name. Value can only contain 3 to 255 characters.
606	Invalid hostname/IP address.
607	Invalid channel password. Value must be at least 1 character long and cannot contain any of the following characters: ;/?:@&=+\$,# .
608	Invalid authorization username.
609	Invalid concurrent calls (outgoing+incoming) number. Value must be numeric, bigger than 1 and smaller than 999.
610	Invalid call prefix. Value must follow the phone number format.
611	Invalid callerID for outgoing calls. Value must be 3 to 255 characters long and must follow the phone number format.
612	Invalid SIP port. Value must be numeric, between 1 and 65,536.
613	Invalid proxy host/IP address.
614	The 'from user' option is invalid. Value cannot contain more than 255 characters.

615	Invalid 'from domain' option.
616	Invalid authorization extension. Value cannot contain more than 255 characters.
617	Invalid flow. Here are the values available: in, out, both.
618	Invalid DTMF mode. Here are the values available: in band, rfc2833, info, auto.
619	Invalid qualify. Value must be a multiple of 100, no bigger than 900.
620	One or several provided codecs are outside the records available.
622	One or several channel groups are outside the records available.
626	Invalid session timer. Accepted values: 0 for "Accept", 1 for "Originate", 2 for "Refuse".
627	Invalid session refresher. Accepted values: 0 for "UAS", 1 for "UAC".
628	Invalid minimum session refresh interval. Value must be lower than the value provided by the session refresher interval.
629	Invalid sipTransport. Here are the values available: UDP, TCP.
667	Invalid 'SIP Node'.
864	Invalid 'Accept calls from IPs/network '. Valid values are: 192.168.*.*, 192.168.0.0/16, 192.168.1.1/16, 192.168.1.1/32, 192.168.0.0/255.255.0.0, 192.168.1.1/255.255.255.255, 192.168.1.1.
314	Invalid Session refresh interval. Value must be a number between 10 and 84000. (e.g. 3600).
315	Invalid Minimum session refresh interval. Value must be a number between 90 and 84000.