

How to copy the WSDL files locally

Applies to VoipNow 3 and higher!

This article describes what to do in case you need to store the WSDL files locally.

When you try to load a WSDL URL via HTTPS, an error like this may be returned:

```
PHP Fatal error: SOAP-ERROR: Parsing WSDL: Couldn't load from 'https://192.168.14.187:443/soap2/schema/3.5.0/Billing/Billing.wsdl' : failed to load external entity "https://192.168.14.187:443/soap2/schema/3.5.0/Billing/Billing.wsdl"
```

Step-by-step guide

Depending on the required WSDL, you must download the schema locally taking the steps below:

STEP 1: Log in to your server as `root` using either **SSH** from Linux or **Putty** from Windows.

STEP 2: Go to the SOAP schema folder.

```
cd <VOIPNOW_ROOT_D>/admin/htdocs/soap2/schema
```

where `<VOIPNOW_ROOT_D>` is defined in `/etc/voipnow/paths.conf`.

STEP 3: Tar the desired schema version.

```
tar -cvf soap_350.tar.gz 3.5.0/
```

STEP 4: Copy and untar that archive on your server, and then load the WSDL from there. To untar the archive type:

```
tar -xzvf soap_350.tar.gz
```

STEP 5: In your `.php` file, the WSDL is requested from the local files:

```
new SoapClient('local_path', $options);
```

Related articles

- [How to make live transactions using the PayPal SOAP API](#)
- [How to find files stored on the local disk](#)
- [What are the sound files and categories used in VoipNow](#)
- [How to copy the WSDL files locally](#)