

List PhoneCallEvents

This method allows listing existing phone call events in particular contexts such as User, Organization or global.

- [Request/Response model](#)
 - [Overview](#)
 - [Request](#)
 - [Response](#)
- [Examples](#)

Request/Response model

Overview

Use this request to list phone call events which are assigned to an Extension.

If successful, the Service returns a collection of [PhoneCallEvent](#) resources.

The request is made by an App that is registered to a User account.

To list existing PhoneCallEvents, issue a HTTP GET request:

Model

```
HTTP-Method      = "GET"
URI-Fragment     = "/uapi/extensions/" User-Id "/" Extension-Number "/phoneCallEvents" [ "/" Event-Type [ "/"
Event-Id]]
Query-Parameters = Get-PhoneCallEvent-Request-Parameters
Request-Payload  = null

Return-Object    = Collection<PhoneCallEvent>
```

Example

```
GET /uapi/extensions/@me/0003*210/phoneCallEvents/0/NqeyDRqo4FtabmFj8gNWq3hsiGNYyq HTTP/1.1
HOST uapi.voipnow.com
Authorization: Bearer token
Content Type: application/json
```

Request

This section describes how to format the request to the service.

URI fragment

The following parameters must be sent in the URI fragment:

| Name | Type | Required | Description |
|-----------|---------------------------------------|----------|--|
| userId | User-Id | Yes | Id of the User which owns the Extension for which the event is added. It can take one of the following values: @me - refers to the authenticated User . @viewer - also refers to the authenticated User . @owner - refers to the User that owns the Extension used to make the phone call. User-Id - refers to the unique identifier of the User. Default: @me |
| extension | UAPI-Extension-Number | Yes | The number of the Extension for which the event is added. Allowed Extension types: Phone Terminal, Queue, Conference, and IVR. Cannot be set to @self. |
| eventType | Number | No | The type of the PhoneCallEvent. If missing events for all the types are returned. Must be given if eventId is sent. |
| eventId | Object-Id | No | The Id of an existing PhoneCallEvent. |

Get PhoneCallEvent request parameters

Restriction to Standard Request Parameters

All requests to list PhoneCallEvents support the [Standard-Request-Parameters](#) with the following restrictions:

| Name | Type | Description |
|-------------|--------|---|
| count | Number | The page size of a collection. Maximum possible value is 5000. Default: 20 entries |
| filterBy | String | Records can be filtered by all fields of the PhoneCallEvent . |
| filterValue | String | The value to filter by. |
| startIndex | Number | The start index of the paged collection. Maximum possible value is 5000. Default: 0 |

Custom Request Parameters

They also support the custom parameter:

| Name | Type | Description |
|--------|---------------|--|
| fields | Array<String> | An array of Phone Call Event field names. For standard values, please see the PhoneCallEvent resource. |

Response

Success

If successful, the request returns collection of [PhoneCallEvent](#) resources and the following HTTP statuses:

| HTTP Code | Description |
|-----------|--|
| 200 | The list of phone call events is returned. |
| 204 | There are no phone call events to be returned. |

Failure

When it fails, the request returns the following error codes:

| HTTP Code | Code | Description |
|-----------|----------------------|---|
| 400 | fields_inval id | Value supplied in fields parameter is missing or invalid. The parameter must be set to a value of consisting of the name of the possible PhoneCallEvent fields separated by a comma (e.g. extension, id, answered). |
| 400 | count_inv alid | Value supplied in count parameter is missing or invalid. The parameter must be set to a numeric value lower than 5000. |
| 400 | filterby_in valid | Value supplied in filterBy parameter is missing or invalid. The parameter must be set to the name of a PhoneCallEvent field. |
| 400 | filterop_in valid | Value supplied in filterOp parameter is missing or invalid. The parameter must be set to one of the values: contains, equals, starts with or present. |
| 400 | filtervalue _invalid | Value supplied in filterValue parameter is missing or invalid. The parameter must be set to a string value. |
| 400 | sortorder_ invalid | Value supplied in sortOrder parameter is missing or invalid. The parameter must be set to one of the values: ascending or descending. |
| 400 | startindex _invalid | Value supplied in startIndex parameter is missing or invalid. The parameter must be set to a numeric value, higher or equal with 0 and lower than 5000. |
| 400 | pce_acce ss_denied | You are not allowed to manage the phone call events. |
| 400 | pce_id_in valid | Value supplied in the URI-Fragment as eventId is invalid. The parameter must reference an existing phone call event. |

Examples

Below you can find an example that will help you understand the request and the response.

This example lists the properties of the PhoneCallEvent with the Id `MyPhoneCallId` assigned to the extension `0003*210`. The request is made by an App on behalf of a User.

HTTP Request

```
GET /uapi/extensions/@me/0003*210/phoneCallEvents/0/NqeyDRqo4FtabmFj8gNWq3hsiGNYyq HTTP/1.1
Host uapi.voipnow.com
Authorization: Bearer token
Content-Type: application/json
```

Assuming that the request has been successful, the Service sends the following answer:

HTTP Response

```
HTTP/1.1 200 OK
...

{
  "startIndex":0,
  "totalResults":1,
  "itemsPerPage":5,
  "filtered":true,
  "sorted":true,
  "entry":[
    {
      "type": "0",
      "id": "NqeyDRqo4FtabmFj8gNWq3hsiGNYyq",
      "method": "0",
      "note": "My phone call event is awesome",
      "url": "http://myevent.com/SaveMyPhoneCallDetails",
      "status": "1",
      "modified": "2012-07-10T18:16:12+03:00",
      "links": { "self": "https://x.x.x.x/uapi/extensions/@me/0003*210/phoneCallEvents/0/NqeyDRqo4FtabmFj8gNWq3hsiGNYyq" }
    }
  ]
}
```