

PHP Example

This is an example written in PHP allowing users to manage DNS Manager clients, DNS Zones and DNS Records. [Download](#).

- [How To Install It](#)
 - [Setup](#)
- [How To Use It](#)
 - [Adding a Client](#)
 - [Adding a DNS Zone](#)
 - [Adding a DNS Record](#)
- [Further Reading](#)

This demonstrative code SHOULD NOT be used in production. It is designed to show how a client application can interact with the DNS Manager SystemAPI. From this perspective, validations and error-checks aiming to demonstrate the most common mistakes are minimal and can be done easily.

How To Install It

System Requirements

In order to be able to use the SystemAPI PHP example, your system must be compliant with the requirements below:

- Your system needs to have PHP 5.1.2 or any subsequent version installed.
- PHP must be compiled using the `--enable-soap` configuration option.
- The SystemAPI PHP example requires the PHP extension `libxml` - Version 2.5.4 or any subsequent version.

Setup

1. Download the [archive](#), extract the files and copy them to a directory that can be accessed over the Web.
 2. In order to use the tool, you must configure it. To do so, you must open the file `config.php` in the `<PATH_TO_SYSTEMAPI_PHP_TOOL>/config.php` and change the following settings:
- Set the `$dnsmanager_ip` variable to the IP or hostname of your DNS Manager server.
 - Set the `$dnsmanager_username` to the username of the DNS Manager account you want to use.
 - Set the `$dnsmanager_password` to the password of the DNS Manager account you want to use.
 - Set the `$dnsmanager_port` to the port of the DNS Manager server.
 - Set the `$dnsmanager_version` to the version of the DNS Manager schema files.
 - Set the `$request_type` to the request type you want to make:
 - If you want to add a **client** account, you must set the variable `$request_type = "client"`
 - If you want to add a **DNS Zone**, you must set the variable `$request_type = "dnszone"` and also set the `$client_id` to the **ID of the client** that owns the DNS Zone.
 - In order to add a **DNS Record**, you must set the variable `$request_type = "dnsrecord"`. It is also required that you set the `$dnszone_name` to the **name of the DNS Zone** that will contain the DNS Record.

How To Use It

To access the interface, simply visit `https://<IP>/<PATH_TO_SYSTEMAPI_TOOL>/index.php`.

Please note that you can't access the application unless you set it up before. Otherwise, you will get a warning message with the issues you need to fix, just as shown below:

4PSA DNSManager SOAP API Demo

Some of the requirement for running 4PSA DNSManager SOAP API Demo are not fulfilled. Please check the list below for more details.

Current PHP version > 5.1.2	✓
PHP is configured with <code>--enable-soap</code>	✓
DNSManager SOAP API is reachable	✗

Check you 4PSA DNSManager server IP in the configuration file.

- If **Current PHP version > 5.1.2** setup is not validated, you should check your PHP installation.
- If **PHP is configured with `--enable-soap`** setup is not validated, you should make sure the PHP is compiled using the `--enable-soap` option.
- If **DNSManager SystemAPI is reachable** setup is not validated, then you should check the configuration file and make sure you have correctly set the server or connection parameters.

Once the configuration process is complete, you can access the interface and use it to add clients, DNS Zones and DNS Records.

Adding a Client

Using this section of the application you can add client accounts to DNS Manager. The following information can be set using the form:

Parameter	Required	Description
Company	No	The company name of the user
Contact name	Yes	The contact name of the user
Login	Yes	Username for the new account
Password	Yes	Password for the new account
Phone	No	Phone number of the new account
Fax	No	Fax number of the new account
Email	Yes	Email of the new account
Address	No	Address of the new account
City	No	City for the new account
Postal/ZIP code	No	Postal/ZIP code for the new account
Country	Yes	Select a country from the list of countries
State/Province	No	Select a state or province
Notes	No	More notes about the account

Adding a DNS Zone

By using this section of the application, you can add **DNS Zones** to the DNS Manager server. The following information can be set using the form:

Parameter	Description
DNS Zone Name	The name of the DNS Zone
DNS Zone Type	The type of the DNS Zone. Can be either master, or slave.

- You can set the `$template_id` parameter in the configuration file to create the DNS Zone from a template
- You can set the `$template_ip` parameter in the configuration file to add a template IP for the DNS Zone

Adding a DNS Record

By using this section of the application, you can add **DNS Records** to the DNS Manager server. The following information can be set using the form:

Parameter	Description
DNS Record Name	The type of the DNS Record
Host	The host
Value	The value of the record.
Primary	Check if you have a primary record.

Further Reading

- [DNS Manager SystemAPI Developers Guide](#)
- [libxml](#)